



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/749,022      | 12/30/2003  | Sang Kyun Park       | 29936/39889         | 9225             |

4743 7590 07/13/2005

MARSHALL, GERSTEIN & BORUN LLP  
233 S. WACKER DRIVE, SUITE 6300  
SEARS TOWER  
CHICAGO, IL 60606

EXAMINER

GURLEY, LYNNE ANN

|          |              |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2812

DATE MAILED: 07/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/749,022

Applicant(s)

PARK, SANG KYUN

Examiner

Lynne A. Gurley

Art Unit

2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 19 May 2005 and 25 March 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1,3-13 and 15-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 3-13 and 15-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

  
LYNNE A. GURLEY

PRIMARY PATENT EXAMINER  
TC 2800, AU 2812

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### **DETAILED ACTION**

This Office Action is in response to the RCE filed 5/19/05 and the amendment filed 3/25/05.

Currently, claims 1, 3-13 and 15-25 are pending.

#### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/19/05 has been entered.

#### ***Specification***

1. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

#### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2812

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 7, 13, 19, 21-22 and 24 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Wang et al. (US 6,387,806, dated 5/14/02).
4. Wang shows the method as claimed in figures 1-19 and corresponding text, with emphasis on figures 14-15, to show the recess 228 formed by CMP, which produces a surface of the copper wiring 230 lower than the surface of the interlayer insulating film 204. Wang shows the substrate 206, interlayer insulating film 204 with damascene pattern and copper anti-diffusion conductive film 212 and copper layer 230 with the recess 228 (fig. 14) formed by CMP (column 9, lines 9-34), and copper anti-diffusion insulating film or conducting film (additional encapsulating material 222 in fig. 13 SiON, SiN, SiC, metal oxide and/or metal dopant (column 4, lines 20-36; column 7, lines 45-67; column 8, lines 1-54). The metal dopant is deposited with the copper fill by electroless plating. See fig. 14-18 for side edges of the copper wiring below surface of the interlayer insulating film.
5. Claims 13, 15, 19, 21, 23 and 25 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Saito et al. (US 2003/0109129, dated 6/12/03, filed 12/27/02).
6. Saito shows the method as claimed in figures 1-38 and corresponding text, with emphasis on figures 3-7, with damascene pattern HM1 (fig. 3) in interlayer insulating film 22; copper anti-diffusion conductive film M1a/M1b (fig. 4); copper wiring M1c by CMP (fig. 5), wherein the

Art Unit: 2812

surface of the copper wiring is lower than the surface of the interlayer insulating film (slight dishing shown in fig. 5, [0107]-[0108]); selective formation of a copper anti-diffusion conductive film CM1 (fig. 6; selective deposition of W; [0109]) on the top surface of the copper wiring. Saito shows that the copper wiring is annealed after the CMP step in a reducing atmosphere [0108]. The CMP process may be performed to concave the top surface of the copper wiring and then an annealing process is performed before and during the deposition of the selective W which will convex the surface, even if only relatively to the concave surface resulting from the CMP [0108]-[0110], [0112] (especially [0110], line 11-18). Cleaning is performed [0113]-[0114]. Heat treatment is performed in a reducing atmosphere with hydrogen or ammonia [0108], [0133] – also includes plasma, [0151]. Other cleaning solutions may be used [0114]. See figures 5 and especially 14, where the surface of the copper layer is below the surface of the insulating film (column 9, lines 15-20).

### ***Claim Rejections - 35 USC § 103***

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.

Art Unit: 2812

2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

9. Claims 16-18, 20, 22 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Saito et al. (US 2003/0109129, dated 6/12/03, filed 12/27/02).

10. Saito shows the method substantially as claimed and as described in the preceding paragraphs.

11. Saito lacks anticipation only in not teaching that; 1) nitric acid for the cleaning process so that the copper wiring is further lower than the surface of the interlayer insulating film; 2) the annealing process is performed using a temperature of 100-500 degrees C or 200-700 degrees C for 1 to 5 minutes in a rapid thermal annealing process; 3) the plasma process is carried out in a temperature range of 100-350 degrees C; and, 4) the selective copper anti-diffusion conductive film is formed by selective electroless plating.

12. It would have been obvious to one of ordinary skill in the art to have used nitric acid for the cleaning process so that the copper wiring is further lower than the surface of the interlayer insulating film; to have performed the annealing process using a temperature of 100-500 degrees C or 200-700 degrees C for 1 to 5 minutes in a rapid thermal annealing process; to have carried out the plasma process in a temperature range of 100-350 degrees C; and, to have formed the selective copper anti-diffusion conductive film by selective electroless plating, in the method of Saito, with the motivation that: 1) nitric acid is an alternate conventional cleaning solution to the HF used in Saito, for post-CMP operations. These solutions are wet etchants of the surface of the metal, which is how they clean the surface, so that either HF or nitric acid would further

Art Unit: 2812

recess the surface of the copper wiring layer (See Toyoda et al. [0124] or Gupta et al. (col.4, lines 44-50 for acid wet etch to further recess a copper wiring); 2) the anneal being in the claimed temperature range and using rapid thermal anneal is within a reasonable range of temperature for the substrate considering the subsequent selective deposition conditions and time constraints to make the process efficient; 3) the electroless plating method is a conventional alternative to the selective deposition method taught in Saito.

13. Claims 3-6, 8-12, 15-18, 20, 23 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 6,387,806, dated 5/14/02) in view of Noguchi (US 2003/0114000, dated 6/19/03, filed 11/14/02).

14. Wang shows the method substantially as claimed and as described in the preceding paragraphs.

15. Wang lacks anticipation only in not teaching that; 1) a cleaning process is performed after the CMP step; 2) nitric acid for the cleaning process so that the copper wiring is further lower than the surface of the interlayer insulating film; 3) the annealing process is performed using a temperature of 100-500 degrees C or 200-700 degrees C for 1 to 5 minutes in a rapid thermal annealing process, both in an inert gas or a mixed inert gas; 4) the plasma process is carried out in hydrogen and nitrogen, ammonia or hydrogen and an inert gas in a temperature range of 100-350 degrees C; and 5) the copper anti-diffusion insulating film is formed by spin-on method and anneal in N<sub>2</sub>, Ar, H<sub>2</sub> or He at 100 to 500 degrees C, using methyl, benzochlorobutane, polyimide, arylether and HSQ, which contain Si, C and N in a type of sol or gel.

Art Unit: 2812.

16. Noguchi teaches, in a similar CMP process, a conventional post CMP cleaning step [0221] followed by an annealing step in H<sub>2</sub> [0222] to reduce the copper oxide formation on the surface of the copper wiring layer and an acid cleaning of the substrate [0223]-[0237]. Plasma treatment is also discussed.

17. It would have been obvious to one of ordinary skill in the art to have cleaned the copper surface after the CMP step; to have used nitric acid for the cleaning process so that the copper wiring is further lower than the surface of the interlayer insulating film; to have performed the annealing process using a temperature of 100-500 degrees C or 200-700 degrees C for 1 to 5 minutes, both in an inert gas or a mixed inert gas, in a rapid thermal annealing process; to have carried out the plasma process in hydrogen and nitrogen, ammonia or hydrogen and an inert gas in a temperature range of 100-350 degrees C, in the method of Wang, with the motivation that: 1) cleaning after a CMP process in an acidic environment is conventional, as taught in Noguchi, and nitric acid is a conventional cleaning solution. Acid solutions are wet etchants of the surface of the metal, which is how they clean the surface, so that nitric acid would further recess the surface of the copper wiring layer (See Toyoda et al. [0124] or Gupta et al. (col.4, lines 44-50 for acid wet etch to further recess a copper wiring); 2) the anneal, being in the claimed temperature range and using rapid thermal anneal, is within a reasonable range of temperature for the substrate considering the subsequent selective deposition conditions and time constraints to make the process efficient and considering the annealing/plasma parameters taught in Noguchi, as well as the anneal in H<sub>2</sub>, ammonia and N<sub>2</sub> atmospheres taught in Noguchi in order to reduce the copper oxide formation, making the device more reliable.



Art Unit: 2812

18. It would have also been obvious to one of ordinary skill in the art to have formed the copper anti-diffusion insulating film by spin-on method and anneal in N<sub>2</sub>, Ar, H<sub>2</sub> or He at 100 to 500 degrees C, using methyl, benzochlorobutane, polyimide, aryether and HSQ, which contain Si, C and N in a type of sol or gel, in the method of Wang, with the motivation that these are conventional passivation/diffusion layers, alternatives to the insulating passivation/diffusion layers taught in both Wang and Noguchi.

***Response to Arguments***


19. Applicant's arguments filed 11/10/05 have been fully considered but they are not persuasive. See remarks in the advisory action, mailed 4/25/05.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynne A. Gurley whose telephone number is 571-272-1670. The examiner can normally be reached on M-F 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt can be reached on 571-272-1873. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2812

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Lynne A. Gurley  
Primary Patent Examiner  
TC 2800, Art Unit 2812

LAG  
July 11, 2005